

Business Name: Tank It Easy Elizabeth
Address: Elizabeth, CO 80107
Phone: (719) 824-1595

Tank It Easy Elizabeth

Tank It Easy Elizabeth is your trusted local expert for residential septic tank cleanouts and pumping in Elizabeth, Colorado, and surrounding areas. We specialize in keeping your home's septic system running smoothly with reliable, affordable, and environmentally responsible service. Whether you're due for routine maintenance or dealing with a full tank, our experienced team is committed to fast response times, honest service, and clean results—every time. At Tank It Easy Elizabeth, we make it easy to take care of the dirty work so you don't have to.

[View on Google Maps](#)


Elizabeth, CO 80107

Business Hours

- Monday: 24 Hours
- Tuesday: 24 Hours
- Wednesday: 24 Hours
- Thursday: 24 Hours
- Friday: 24 Hours
- Saturday: 24 Hours
- Sunday: 24 Hours

Follow Us:

- Facebook: <https://www.facebook.com/profile.php?id=61573216902188>
- YouTube: <https://www.youtube.com/@TankItEasyCO>

 Explore this content with AI:

[ChatGPT](#) [Perplexity](#) [Claude](#) [Google AI Mode](#) [Grok](#)

If you own a septic system, pushing is one of those tasks that never ever really feels critical until it immediately is actually. Bathrooms belch, drains gurgle, pools show up over the industry, as well as already you are actually paying for unexpected emergency work. A little preparation spares money as well as protects against damages. This guide maps out how to prep for septic tank pumping, what savvy home owners carry out during the company, and how to maintain the unit after. It mixes business expertise with what I have actually viewed on project web sites, including a few preventable blunders that developed pricey repairs.

What pumping actually accomplishes

Septic tanks settle out solids. A drifting film coating gathers fats and oil, and also a muck coating builds up on the bottom. In between all of them is relatively unobstructed fluid that flows to the drain range. Pumping eliminates the film as well as grease therefore solids perform certainly not escape to the field. Sewage-disposal tank pumping is not the like septic system cleaning or sewage-disposal tank emptying, though pros at times mix the terms.

- Pumping means getting rid of the fluid and also sludge with a vacuum cleaner vehicle. The majority of services perform this.
- Cleaning implies removing residual solids that stick to the wall surfaces and also amazes, often with a rinse. It is more stringent and also takes longer.
- Emptying is sometimes utilized to suggest a complete cleanout, other opportunities simply a pump down. Request for clarity.

If your provider only vacuums the fluids with a tiny hatch without mixing or brushing up the edges, you can leave behind 10 to 30 percent of the solids. That feels like transforming half your oil. Do not be actually timid about inquiring what their method includes.

How commonly you actually require it

For an average three-bedroom home along with a 1,000 gallon tank and four people, a 3 to 5 year period works for many families. That assortment limits or even widens based on behavior. A waste disposal unit, constant guests, hefty laundry days, or even sturdy antibiotics raise sound tons and lessen bacterial task. The gold specification is measuring muck and also algae thickness with a crystal clear pipe or even a lengthy post and also plate just before organizing. When the mixed residue and sludge have to do with one-third of the tank's intensity, it is time.

I have actually seen pair of houses along with the same tank sizes on the very same road necessity company at different prices. One household composted kitchen area fragments and spaced laundry washing, pushing every 6 years with well-balanced baffles. The neighbor managed a disposal for each meal and also cleaned in tiny day-to-day bunches, which kept the mixer upper arm of the tank churning. They needed pushing every 2 years and a baffle repair at year 7.

An easy refresher on body anatomy

Knowing the parts aids you prep effectively and have a notified discussion along with the crew.

- Inlet and also electrical outlet frustrates or even tees keep scum and also solids where they belong. If a baffle is actually overlooking or even fallen apart, solids will hurry the field.
- Effluent filter, usually at the channel, monitors particles. It needs to be cleaned up in the course of septic system maintenance. If no filter exists, ask them about mounting one.
- Riser and top give access. A stashed lid incorporates opportunity and also cost for digging. Look at permanent risers to grade.
- Drain area scatters handled effluent. It is the expensive part to repair, so every thing you perform must guard it.

The case for considering a full week in advance

Good pushing is not only a vehicle see. Along with a couple of days lead time, you can leave open the covers, reduce hydraulic lots, as well as ensure the operator may totally clean the tank rather than hurrying. You may uncover a tiny problem while it is still cheap to remedy. If your system is older or even you have never ever seen it open, preparation likewise provides you opportunity to find sketches or known as the regional health and wellness team for records.

Pre-service check-list that pays out off

- Locate and subject all gain access to lids, certainly not only the little examination port.
- Confirm tank dimension and component, after that show your provider.
- Clear a vehicle course and also shield landscape design or even sprinklers.
- Reduce water utilize for 24 hr prior to the visit.
- Stage a backyard pipe and also energy outlet for rinsing out if needed.

A handful of details matter. Revealing each inlet as well as electrical outlet get access to permits the operator inspection frustrates as well as the effluent filter. If your tops are buried [septic tank cleaning](#) much deeper than 12 to 18 inches, installing risers to quality will spend for itself within a number of pumpings. For the vehicle pathway, bear in mind a full suction truck can weigh 30,000 to 50,000 pounds. Carry out certainly not course it over a septic field, soft lawn, or even near a preserving wall without a planning. Lay plywood where tires must cross delicate spots.

Reducing water use the time previously is simple science. A quieter tank suggests far fewer floating solids that can asperse into the channel in the course of rocking. Neglect long downpours and also laundry washing, and have dish washer operates. I have actually gauged film levels that thinned sufficient in 12 hours to produce the distinction between a clean pull and also a disorganized one.

Safety as well as digging the tops without drama

Buried tanks could be 6 inches listed below yard or 3 feet down. If you can easily certainly not locate the lids, try to find cleanouts or even where the drain collection departures your home. Tanks commonly sit 5 to 15 feet coming from the groundwork in accordance with that pipe. Probing delicately along with a lengthy screwdriver can find the sides. Call utility situate services if you are actually digging more than a couple of inches in unfamiliar ground. Fuel as well as electric lines carry out certainly not always adhere to straight paths.



Lids could be massive. Concrete covers press 60 to 120 pounds each, at times extra. Use 2 individuals and effective training, and never ever lean over an available tank while spying. The fuels may be hazardous. Maintain little ones as well as family pets away, as well as cordon the location. If a cover is fractured, planning to substitute it. More than as soon as I have actually elevated a cover that cracked and also glided toward the opening. A \$120 replacement beats a crash every time.

What to ask for from the pushing crew

Good providers welcome particular requests due to the fact that it signals you are actually taking note and won't stop at a reasonable invoice. Inquire to open both access factors, suction all compartments if it is actually a two-chamber tank, as well as rinse or even swing corners and around baffles to remove unpleasant solids. Ask them to examine baffle shape as well as the presence of an effluent filter.

Ask to determine residue and sludge before they agitate. Some firms lug a crystal clear tasting tube. If not, a significant rod may predict layers. Record the sizes as well as tank measurements for your routine maintenance data. On a 1,000 quart tank, a common healthy and balanced circulation might reveal 3 to 6 inches of trash and 8 to 12 ins of sludge after three years. Extra prevails in heavy-use homes, and much less does certainly not imply you need to skip company if you are actually already scheduled.

Pumping, cleaning, and also when hydro-jetting belongs

Most pump-outs entail vacuuming with a stirring faucet to raise sediment. Cleaning may feature a water rinse that takes deposit off walls, under the film mat, and around baffles. Hydro-jetting is actually a stressful water method. It possesses

2 principal uses:

- Scouring an obstructed or partially obstructed line from our home to the tank when a serpent is actually not enough.
- Cleaning an effluent filter or even a tank wall structure with stubborn accumulation, generally as part of an extensive septic tank cleaning.

Hydro-jetting is not the same as jetting a drain area. Carry out certainly not let any individual talk you right into stressful jetting of an area without a clear medical diagnosis. Some specialized agencies utilize low-pressure directional cleansing on circulation laterals, however that is actually certainly not a cure-all and it requires mindful analysis. Aggressive stress can move fines in to the ground as well as shorten unit life.

What you should view in the course of the visit

You are going to listen to the pump mood adjustment as it elevates water and afterwards muck. The operator may utilize a tool to break up the film. They need to steer clear of hammering the outlet region thus solids perform certainly not climb into the industry. With lids available, you can easily look for these indications:

- Inlet baffle or tee in one piece as well as certainly not cracked.
- Outlet baffle intact, filter found if put up, as well as flow not limited by dustcloths or even wipes.
- Minimal heartburn coming from the electrical outlet when the tank is pumped down. An emerge back into the tank may hint at a saturated range or even a stuck check in a pump chamber for innovative systems.

A light earthy stench is actually regular. Solid chemical scents can suggest cleaners or even paint rinse water going into the unit. Bleach in usual house volumes are going to not get rid of a tank, but regular massive doses subdue germs and also sluggish food digestion. If you smell solvents or even view strange shades, speak about resource control.

Deciding on repairs while the tank is actually open

Repairs are actually most cost effective when the tank is at its own lowest amount and lids get out. Think about these while the staff performs website:

- Replace a skipping or collapsing baffle or tee. PVC tees are cost effective as well as effective.
- Install or even switch out an effluent filter. Choose a design sized to your regular flow. The owner ought to have the ability to draw and tube it off during sewage-disposal tank maintenance intervals.
- Add risers to grade for future access.
- Seal minor seepage cracks where groundwater slips into the tank at a joint.

Small financial investments right here defend the drain field and cut potential effort. I the moment possessed an individual drop a \$180 electrical outlet tee substitute. 2 years later, they phoned along with appearing effluent over the field. The repair costs multiplied given that solids had actually run away and befouled the soil.

What pumping does not fix

Pumping resets the tank's capacity. It performs certainly not fix up a falling short drainpipe industry, heal a broken pipeline, or produce every thing smell like roses. If your backyard is actually soft, or even if the tank refills from the outlet quickly in the course of pumping, the industry could be saturated. In that situation, pumping may buy you opportunity while you lessen water use and diagnose the industry. A camera and pressure examination on the distribution box or laterals might observe. Clay-based grounds after a spring thaw usually resemble breakdown symptoms. Provide the field a handful of dry out days just before panicking.

Additives, enzymes, as well as other container promises

The brief variation: most septic ingredients are unneeded and some are harmful. A well balanced diet of family dump items micro-organisms. Chemicals may dissolve solids too soon, driving them in to the range. Extreme chemical shock treatments that guarantee to open up an area rarely support and can easily rinse contaminants right into groundwater. I maintain a straightforward guideline. If you would certainly not conveniently drain pipes an offered bottle into your vegetable landscape, perform certainly not put it into your tank.


Post-service actions for a well-balanced reset

- Run water at a moderate circulation right into your house drainpipe for a few mins to verify free flow and venting.
- Resume ordinary water utilize steadily over 24 hours, certainly not all at once.
- Clean as well as re-seat the effluent filter if recommended, as well as take note the cleaning date.
- Walk the drainpipe field 24 to 48 hours eventually to check for surfacing water or even odors.
- Update your files along with date, amount pushed, as well as any sort of repairs or even observations.

If you had massive solids or even a forgotten tank, you might notice a light sewerage smell at the garden vent or even roofing vents for a day. This vanishes. Inside your home, slow-moving drains after service typically imply an existing predisposed obstruction received annoyed rather than made. An easy serpent coming from a cleanout to the tank typically addresses it.

Water make use of in the first full week after pumping

A recently pushed tank has less head stress on the outlet. Swift increases of water can easily push little fragments towards the filter. Space out laundry washing, steer clear of back-to-back showers, and leave out marathon dishwasher runs for a number of days. If your household is sizable, signal a short loved ones briefing. Five mins of coordination makes more variation than a shelf of additives.



If your tank possesses an effluent filter and also you carried out an extensive sewage-disposal tank emptying as well as cleansing, anticipate to rinse the filter once again after a full week. Released penalties can accumulate. A landscape pipe does the job. Put on handwear covers as well as eye security, and also rinse out back into the tank opening, certainly not onto the lawn.

Keeping a straightforward routine maintenance log

Write down the pump time, tank dimension, the approximate scum and also gunge levels if determined, the problem of baffles as well as tops, and what you spent. Include details regarding any sort of uncommon scents, emerging water, or even filter cleaning. After two or three patterns, you will see your house's real interval. When you sell the house, that log reads through like gold to a purchaser or inspector.



Winter, rain, as well as various other ecological wrinkles

Cold weather condition hardens oil. If you need to pump in deeper winter, cease utilizing the home kitchen sink as a grease snare for a week before the go to. In freezing weather, subjected risers without insulation can develop freeze issues. Some residents cover risers with foam and cover along with a subtle protected cap.

During very wet times, groundwater can permeate in to tanks with older junctions. That can mislead you in to thinking the tank generates more effluent than it should. Cover tapes and minor mortar repairs help. The drainpipe industry might battle too. Divert roofing system downspouts away from the field and also prevent massive devices on saturated dirts. Compaction decreases air in the ground, which slows treatment.

Garbage disposals as well as wipes, the silent wreckers

Disposals grind food items right into great fragments, which perform certainly not go away. They merely clear up in the tank a lot faster as well as may wash in to the field if the filter is actually skipping or obstructed. If you must utilize a fingertip, count on to reduce the interval in between pumpings. I usually inform disposal enthusiasts to think about a tiny compost bucket on the counter. The variation appears in the grease layer.

As for wipes, even those designated flushable avoid breaking down in septic disorders. They snag on baffles and filters, after that collect even more clutter. I have actually pulled basketball-sized ropes of wipes coming from outlet tees. They resemble an ocean creature and expense like one too.

When hydro-jetting a line is actually the clever move

If your major pipes from our home to the tank is slow and also snaking has actually not cleared it, a targeted hydro-jet can easily wash oil and also soap build-up without clearing away the water pipes. Ask the specialist to electronic camera the line afterwards. Jetting a line is common where the kitchen space sink is tied in close to the tank or even the pipeline has a stubborn belly that holds water. If the camera shows gaps or even origin invasion, travelling purchases you opportunity, yet intend a repair. Roots enjoy nutrient-rich dampness, as well as they consistently arrive back.

Costs to anticipate and also how to stay away from surprises

Prices differ through area and also gain access to. Anticipate a common pump for a 1,000 quart tank to variety from \$300 to \$600 in several regions, a lot more in high-cost cities. Top excavating can add \$fifty to \$200 per lid depending upon deepness. Risers work \$150 to \$400 every position installed. Effluent filters set you back \$60 to \$180 for the hardware and a bit for work. Hydro-jetting a line might include \$200 to \$400. Ask for an array up-front as well as be crystal clear regarding the amount of tops are buried.

A tiny pointer: prepare when they show up. A 15 minute hold-up while the workers waits for you to find a pipe or relocate an automobile appears on the invoice. It also invites rushed work to stay on schedule.

What you may do-it-yourself and what to delegate to pros

You may properly carry out a great deal. Locate and also leave open lids, install risers if you are confident and comply with manufacturer guidelines, clean an effluent filter, minimize water tons, as well as always keep a log. You can easily probe carefully to locate tank edges and note them for potential brows through. You can easily notice and take photos of baffles and risers once the tops level and the pro claims it is secure to approach.

Leave restricted space admittance to specialists. Never climb into a sewage-disposal tank. Gases like hydrogen sulfide can knock you out with a singular breathing. Leave architectural repairs to tanks, concrete patching near junctions, and any type of electric deal with pumps or even alerts to qualified people. If your unit consists of an aerobic therapy device, observe the supplier's upkeep schedule and also do not improvise. Those bodies are actually even more like small treatment vegetations than basic tanks.

Indicators your drain field needs attention

If after pushing you still smell sewage outdoors, or if moist spots persist over the field in dry climate, it is time to check out. Expect greener stripes where the laterals run, particularly in summer. Unexpectedly quickly tank filling up from the electrical outlet, noticed throughout pumping, proposes backflow coming from a saturated or even shut out industry. Dye examinations and electronic camera examinations can easily clarify what you are coping with. In some cases the solution remains in the circulation package where flow has gone jagged. Other times, soils are simply worn out and also need remainder or replacement.

When substitute looms, take into consideration low-impact approaches like alternating areas or including an application tank to match flows. These are layout conversations along with your installer and also nearby code authorities. Early indications spotted in the course of routine septic tank maintenance provide you more options.

A sensible regimen that keeps you out of trouble

Aim for these routines. Pump every 3 to 5 years based upon evaluated layers and also house measurements. Clean the effluent filter every 6 to one year, regularly if you possess a disposal. Array laundry washing by means of the week instead of on one endurance day. Maintain grease, paint, solvents, and also mop-bucket chemicals away from the system. Usage toilet paper that breaks down swiftly and also steer clear of wipes. Walk the area a number of opportunities a year. If you see mushrooms or ingrained trees migrating towards the industry, steer origins away or even remove them prior to they locate the moisture.

Finally, alleviate pumping day as an odds to find out. Ask questions, take notes, and snap a picture of the within the tank with the baffles and filter apparent. Five mins of focus in the course of septic system pumping creates the upcoming visit less complicated as well as less costly. You will certainly know where things are, what typical appear like, as well as how to find difficulty early. That is the center of septic tank maintenance - constant, basic measures that secure the device you hardly ever deal with till it fails.

Tank It Easy Elizabeth provides septic tank pumping
Tank It Easy Elizabeth offers septic tank cleaning
Tank It Easy Elizabeth provides septic system maintenance
Tank It Easy Elizabeth serves Elizabeth Colorado
Tank It Easy Elizabeth serves Elbert County Colorado
Tank It Easy Elizabeth supports residential septic systems
Tank It Easy Elizabeth supports commercial septic systems
Tank It Easy Elizabeth offers hydro jetting services
Tank It Easy Elizabeth's hydro jetting removes debris from septic pipes
Tank It Easy Elizabeth's septic tank pumping prevents septic system backups
Tank It Easy Elizabeth's routine septic maintenance extends septic system lifespan
Tank It Easy Elizabeth helps homeowners maintain septic systems
Tank It Easy Elizabeth provides preventative septic maintenance
Tank It Easy Elizabeth's septic tank cleaning improves septic system performance
Tank It Easy Elizabeth operates in Elizabeth Colorado
Tank It Easy Elizabeth is a septic service company
Tank It Easy Elizabeth provides septic system tune ups
Tank It Easy Elizabeth's septic maintenance prevents costly septic repairs
Tank It Easy Elizabeth focuses on reliable septic services
Tank It Easy Elizabeth provides affordable septic services
Tank It Easy Elizabeth has a phone number of (719) 824-1595
Tank It Easy Elizabeth has an address of Elizabeth, OR 80107
Tank It Easy Elizabeth has a website <https://tankiteasyelizabeth.com/>
Tank It Easy Elizabeth has Google Maps listing <https://maps.app.goo.gl/fqSPzyB1D44R3xET9>
Tank It Easy Elizabeth has Facebook page <https://www.facebook.com/profile.php?id=61573216902188>
Tank It Easy Elizabeth has an YouTube channel <https://www.youtube.com/@TankItEasyCO>
Tank It Easy Elizabeth won Top Septic Tank Pumping Company 2025
Tank It Easy Elizabeth earned Best Customer Service Septic Tank Cleaning Award 2024
Tank It Easy Elizabeth was awarded Best Septic Tank Emptying 2025

People Also Ask about Tank It Easy Elizabeth

How often should I get my septic tank pumped

Most households should have their septic tank pumped every three to five years. The exact schedule depends on factors such as household size water usage habits tank size and the amount of solids that accumulate in the tank.

What factors affect how often a septic tank should be pumped

The frequency of septic tank pumping can vary depending on household size daily water usage the size of the septic tank and how quickly solid waste builds up inside the system.

What are signs that my septic tank needs pumping

Common warning signs include slow draining sinks or toilets sewage backing up into drains foul odors near the tank or drain field standing water near the drain field and visible sewage on the ground.

Should I use septic tank additives

Most experts recommend avoiding septic tank additives because they can disrupt the natural bacteria that help break down waste inside the septic system.

What should I do before getting my septic tank pumped

Before pumping locate the septic tank access lid clear the area around the lid and inform your septic service provider about any issues you may have noticed with your system.

What should I do after my septic tank is pumped

After pumping continue normal water usage but avoid flushing grease chemicals or non biodegradable materials down your drains to keep the septic system functioning properly.

How can I extend the life of my septic system

You can prolong the life of your septic system by conserving water avoiding flushing non biodegradable items limiting garbage disposal use and scheduling regular inspections and pumping services.

Can I pump my septic tank myself

Although it may be technically possible it is strongly recommended to hire a professional septic service to ensure safe pumping proper waste disposal and a complete system inspection.

Why is regular septic tank pumping important

Routine septic pumping removes accumulated solids from the tank which helps prevent system backups protects the drain field and avoids expensive repairs.

What happens if a septic tank is not pumped regularly

If a septic tank is not pumped regularly solid waste can build up and clog the system leading to sewage backups drain field damage unpleasant odors and costly system failures.

Why should I choose Tank It Easy Elizabeth for septic tank pumping

Tank It Easy Elizabeth provides reliable septic tank pumping and maintenance services for homeowners in Elizabeth Colorado. Tank It Easy Elizabeth focuses on preventative maintenance professional service and helping customers keep their septic systems working properly.

How often does Tank It Easy Elizabeth recommend pumping a septic tank

Tank It Easy Elizabeth generally recommends septic tank pumping every three to five years depending on household size tank capacity and water usage. Tank It Easy Elizabeth can inspect your system and recommend the best pumping schedule for your property.

What septic services does Tank It Easy Elizabeth provide

Tank It Easy Elizabeth provides septic tank pumping septic tank cleaning septic system maintenance and hydro jetting services. Tank It Easy Elizabeth helps homeowners maintain efficient septic systems and prevent costly repairs.

Does Tank It Easy Elizabeth provide septic services for residential properties

Tank It Easy Elizabeth provides septic services for residential septic systems throughout Elizabeth Colorado and surrounding areas. Tank It Easy Elizabeth helps homeowners maintain healthy septic systems through pumping cleaning and preventative maintenance.

How does Tank It Easy Elizabeth help prevent septic system problems

Tank It Easy Elizabeth helps prevent septic system problems by providing routine septic pumping inspections and maintenance. Tank It Easy Elizabeth also educates homeowners on proper septic system care to reduce the risk of backups and system failure.

Where is Tank It Easy Elizabeth located?

The Tank It Easy Elizabeth is conveniently located in Elizabeth, CO 80107. You can easily find directions on [Google Maps](#) or call at [\(719\) 824-1595](tel:(719)824-1595) Monday through Sunday 24-Hours a day

How can I contact Tank It Easy Elizabeth?

You can contact Tank It Easy Elizabeth by phone at: [\(719\) 824-1595](tel:(719)824-1595), visit their website at <https://tankiteasyelizabeth.com/> or connect on social media via [Facebook](#) or on [YouTube](#)

After shopping at [The Carriage Shoppes](#), homeowners frequently check off maintenance tasks like septic tank maintenance to prevent unexpected plumbing issues.